

Dayton Area Drug Survey — Table 3
Percent of 9th Graders Reporting Lifetime Use* (1992-2014)

Year	1992	1993	1994	1996	1998	2000	2002	2004	2006	2008	2010	2012	2014
	N=3,148	N=4,102	N=4,774	N=2,521	N=2,845	N=3,130	N=2,994	N=3,398	N=4,280	N=3,779	N=3,753	N=3,165	N=1,895
Marijuana	25.0	26.2	34.6	38.1	37.8	28.1	28.2	20.9	19.4	16.2	22.0	20.7	17.4
Crack	3.2	4.8	5.4	7.6	6.5	3.1	3.6	2.6	2.3	1.9	2.2	2.0	1.6
Cocaine HCL	3.4	4.4	5.2	7.3	6.9	3.5	4.0	3.0	2.9	2.1	2.2	2.3	1.4
Inhalants	17.3	20.5	21.4	26.0	24.7	13.9	13.7	11.3	10.3	8.9	9.3	7.1	4.1
Steroids	1.9	3.8	3.9	1.3	1.9	3.3	2.6	9.5	1.5	1.5	1.3	1.3	0.4
Nitrites	2.5	4.8	5.3	6.3	5.2	-	-	-	-	-	-	-	-
Nitrous Oxide	-	-	-	-	-	7.7	7.3	5.6	4.8	3.3	3.9	3.5	2.4
Hallucinogens	5.7	7.7	9.6	15.3	13.0	12.3	7.9	5.5	4.6	3.8	4.8	4.6	3.5
Opiates	2.6	5.0	5.4	5.8	6.2	8.0	7.8	7.9	7.4	6.7	8.8	6.3	4.5
Heroin	-	-	-	-	-	3.5	3.5	3.6	2.8	2.8	3.5	2.2	1.7
Tranquilizers	6.5	8.4	8.5	10.5	10.7	13.1	11.9	9.7	9.3	8.0	10.3	7.6	5.6
Stimulants	9.8	13.7	15.8	20.0	17.3	9.1	5.4	5.5	4.2	3.9	2.0	6.1	3.9
Methamphetamine	-	-	-	-	-	6.8	6.5	4.7	3.6	2.4	3.2	3.5	2.1
Non Rx Diet/SA Pills	-	-	-	-	-	21.0	19.6	13.8	11.5	8.6	8.5	7.1	4.6
PCP	3.0	5.4	6.2	6.5	6.7	-	-	-	-	-	-	-	-
Alcohol	75.0	72.8	71.6	72.1	72.2	63.7	60.5	52.1	52.1	45.7	45.4	41.2	32.9
Cigarettes	52.0	53.0	53.3	59.4	41.6	48.7	40.0	30.1	26.3	22.5	24.5	19.8	14.8
Smokeless Tobacco	21.7	23.1	22.4	25.0	18.9	13.2	12.0	8.8	9.2	8.5	11.4	9.9	6.9
Ritalin	-	-	-	-	-	-	6.0	5.3	4.7	3.2	3.9	2.8	1.6
Ecstasy	-	-	-	-	-	-	5.9	3.8	2.6	2.1	3.1	3.2	3.0

*Lifetime use -- Having used the drug in question at least once

See: <http://www.med.wright.edu/citar/dads/>